



SHIANG LONG ACCESSORIES CO.LTD.



S keccyam
✉ keccyam@gmail.com
☎ 886-4-7357681



No. 131, Ln. 116, Sec. 2, Meiliao Rd., Hemei Township, Changhua County 508, Taiwan



PROFESSIONAL
BIKE TOOLS manufacturer

Company Profile



1985

Xie Long Industrial was founded
First products: water bottle
cages and chain protectors.

2004

Reorganization took place and
Shiang Long moved its attention
to hand tools and OEM production.

2010

The change is made and
Shiang Long is focused
on bicycle tools.

2016

Emphasis is put on developing
specialized tire repair tools
and inflation adaptors.



Shiang Long offers professional
OEM & ODM services with a
complete solution.

Company Core

Shiang Long is an experienced
developer and manu- facturer of
precision bicycle tools and spare
parts for the professional as well
as the home enthusiast.

We offer a range of professional
services, including technical
assistance, product design, raw
material se- lection, stringent
production process control,
surface treatments, as well as
assembly and packaging design.

Our team possesses extensive
experience in various product
categories such as auto parts,
motorcycle parts, wrenches,
hand tools, and sports equipment.

One Stop Service

We are capable of providing assistance in
product design and modifications, validating
3D drawings, designing packaging, and
ensuring quality control until final product.

- CNC lathe & milling machining
- Plastic injection
- Screw & rivet production



TOOLS CATEGORIES

Strict Quality Controlling

Stable quality High precision & small
tolerance capabilities

- Low defect rate: **0.02%**

BOXES TOOLS

ST-2800

1. 32/16mm wrench
2. 15mm pedal wrench
3. Hub 13/14/15/16wrench 2pcs
4. Screwdriver#2.5. Flat #5
6. Spoke wrench 9g~15g
7. Allenkey set 2/2.5/3/4/5/6mm
8. Freewheel remover short
9. Freewheel remover long
10. Bottom breaker tool
11. 6" adjustable wrench
12. Crank remover tool
13. 8mm hex I type + 3/8 driver
14. Chain tool 8~12speed
15. Tubeless tool 3mm
16. Tire lever 3pcs of 1set
17. Tire repair box
18. Valve tool
19. Freewheel remover turner



ST-280

Packing: 5 set/13 kgs, 14 kgs/0.8'



ST-067

Mini ratchet
Bit: 2/3/4/5/6/PH2/FL5
Star: T15/T20/T25
Chain break

PAT.



ST-UG1

Alloy pump
6-15mm wrench
Nylon tire levers
16 in 1 folding tool
Tire patch box



ST-TUB1

Tubeless Tool 3mm
Co2 adapter no have Co2
L Type 1/4 bit driver
2.5/3/4/5/6/ph2/FL5/T25
Nylon tire lever
Tire repair box



ST-232

6" Spanner
14/15 Wrench + ring hock
Tirelver 3 pcs
4/5/6 allen key
9g~15g Spoke wrench
Ph2+ FL5
8/9/10 Y Type wrench
11/12/13 Y Type wrench



ST-175

Bike tool & repair kit
Dumbbell wrench 6-15mm
Nylon tire lever 3pcs
4/5/6 Hex key wrench
Spoke wrench 9G~15G
Lock ring tool with
15/16mm spanner
Adjustable wrench
Flat / Philips screw drivers



ST-2326

13/14/15 Wrench
4/5/6 Allenkey PH2
Chain tool + spoke tool

TIRE LEVER TOOL



ST-235

(T: 6mm length: 112mm)
Nylon tire lever
(Customized color)



PAT.

ST-24 Tirelevers

2pcs Of Nylon tirelevers
Hex: 2/3/4/5/6 Ph2 / FL2
Bottom Wrench and 1/4 bit drive



ST-520

2pcs of 1set
17 Function with ratchet



S-Tirelever

2pcs of Tirelever plus and
multifunction tool



ST-AK

(T: 7.4mm length: 115mm)
Nylon tire lever



ST-132

Nylon tire lever
3 Pcs Of 1set



ST-252A

Tire lever set /NP seetl



ST-252B

Tire lever set /UCP Seetl



ST-219

Tire lever set /alloy



ST-362A

Tire lever set




ST-MCP-Tirelver

Forging products
Color with CP
10"~40" For car tire lever

ST-MUCP-Tirelver

Stamping products
Color with UCP
10"~40" For car tire lever



ST-Tire200 (steel length: 200mm 8")

Forging products
Color with CP
For electric bicycles and
motorcycles

TORQUE WRENCH




ST-1789
1/4" Bicycle drive torque wrench tool
2~14 Nm wrench
2.5/3/4/6/8/10 allen key
T25 / T30 Star key

ST-A09
Adjustable 1/4 " Torque wrench 4/5/6 Nm



ST-3634
1/4" Drive torque wrench
2-14Nm , have 7pcs bit



ST-A08
1/4" Drive torque wrench
2-14Nm , have 10pcs bit




ST-A11
1/4" Drive torque wrench



ST-A12
5/6 BIT
4/5/6 Nm torque wrench

RACHET WRENCH



ST-836
1/4 Ratchet wrench
2/3/4/5/6 allenkey
T25/ PH2 / Flat



ST-A44
Stainless steel
1/4 Drive ratchet wrench
with bottle opener



ST-A45
Stainless steel
1/4 Drive ratchet wrench



ST-Mini Ratchet
The tail end can be adapted to a screwdriver



ST-H1
Mini ratchet wrench, aluminum body,
With HEX 4/5/6

MINI TOOL BOX



ST-MIB26
1/4 Ratchet wrench
2/3/4/5/6 allenkey
T25/ PH2 / Flat



ST-MIB38
1/4 Drive minibox
16 bit function



ST-UMG
HEX:3/4/5/6 PH2 /FL5
Use box drive 1/4 bit



PATENTED PRODUCT



The tool can stored in a bicycle handlebar.

ST-PP1
Can be inserted into the handle tool
Tubeless tool



ST-XR
Mini ratchet wrench, aluminum
Body,with hex 4/5/6



ST-XT
Tubeless tool



ST-XAD
Co 2 adapter




ST-XC
Chain break

ACCESSORIES TOOL



ST-Dtool
HEX:2/3/4/5 PH2/FL5
Turnable wrench



S-Chain
Chain checker and
chain hook



ST-530,533
Quick chain tool
ST-530 For pvhandle
ST-533 For pphandle



ST-A46
16 in 1 Bicycle
Multi-function tool



ST-B14,B12X14,B16
Spark plug socket
For 14mm ,12x14mm ,
16mm socket



ST-213A,B
"Y" Box wrench
A: 12mm,13mm,14mm
B : 8mm,9mm,10mm



ST-185 Tool kit
Tire lever*3 / 1 set patch repair kit
Dumbbell wrench 6-15mm



ST-PCV
Screwdrivers
Green material: PVC
(two Funtion)



ST-M5
Hex socket head
Size: M5 x 12~16



ST-M5B
Hex socket head
Size: M5 x 6 ~12

ST-TPR
Screwdrivers
Black material: TPR (two Funtion)
Packing: 500pcs / 24kgs,
25kgs/ 0.7'

FOLDING TOOL

ST-CB8

Hex : 3/4/5/6
PH2/FL5
Tubeless tool 3mm



ST-014

Mini folding tool 6pcs
2.5/3/4/5/6/PH1
Length:53mm
Wide:27mm Weight:70
Color: black / gray



ST-B006

16 Function in 1



ST-182

Mini folding bike tool 9 in 1
Finish: sanding nickel
Material: CR-V + chamfer
Length : 63 mm
Packed:1pcs/pe bag
Hex Key: 2/2.5/3/4/5/6/mm
Phillips #2 & flat screwdriver
Torx : T25



ST-180

Folding bike tool 16 in 1
Finish: sanding nickel
Material: CR-V + chamfer



ST-183

Mini folding bike tool 9 in 1
Finish: sanding nickel
Material: CR-v + chamfer
Length : 63 mm
Packed:1pcs/PE bag
Hex key:2/2.5/3/4/5/6/mm
Phillips #2 & flat screwdriver
Torx : T25



ST-234A

3/4/5mm/ph#2/
flat 5pcs plating balck



ST-234B

2/3/4/5/6mm/ph#2/
flat 7pcs plating balck



ST-510

2/2.5/3/4/5/6mm/
ph#2/flat 8pcs
plating nickel plating



A01_ wood chip

10 in 1 Folding tool
H2/H2.5/H3/H4/H4.7/H5 /
T25/PH1/SL7/ crowbar




A02_ alloy

10 in 1 Folding tool
H2/H2.5/H3/H4/H4.7/H5 /
T25/PH1/SL7/ crowbar



ST-B007

14 in 1 6+8mm open
wrench chain break
Hex: 2/3/4/5/6/8
PH2/FL5/T25/T20



ST-UGU

Folding tool
4/5/6/PH2/FL5/T25



ST-B10

8 Function in 1



ST-224B

10 in 1 Folding tool
Hex:2/2.5/3/4/5/6/8 /
PH2/FL5/T25



ST-918

6 In 1 Folding tool
Hex:2/2.5/3/4/5/6



TIRE REPAIR TOOL

ST-AD081

CO2 adapter and tubeless tool



ST-HAND4

Needle dia:4mm
Handle : aluminum alloy



ST-A34

Co2 adapter colorful



ST-UFF

New type
Co2 adapter



ST-A_key (Nylon)

Use for presta valve



DISPLAY STAND TOOL


ST-390

Display stand holders
height and angle adjustable
to fit dillerent bicycle frame.
front wheel can be hanged,
up to avoid deflation
PE:4 pcs/4 kgs,5 kgs/1'



ST-580

For 20"~29"
20pcs ,15-16kg /1'



ST-570

20 set /21kgs, 22 kgs /1'



ST-AD

Regulator Co2 inflator
with needle dia 3mm



ST-LF

Regulator Co2 inflator
with needle dia 3mm



ST-EG05

Tubeless tool 3mm fork



ST-HAND3

Needle dia:3mm
Handle : aluminum alloy



ST-TUBOX

Tubeless tool 3mm
Dia 1.5 & 3.5



VALVE TOOL



ST-WM

Remove any air bubbles
between the tire and
the patch for a good
adhesion and a good seal.



ST-PryBarB ST-PryBarS

Different size pry bars
stainless steel



ST-WALL2025

Wall-mounted bicycle storage



We would customization what you need size

WRENCH TOOL



ST-251

12 pcs wrench
8/9/10/11/12/14/15/17/19/22/24mm




ST-L15

15mm wrench
Long handle

ST-L6202

Long spanner for 15/16/17mm



ST-247A

14X15 + 15mm wrench

ST-238

Pedal remover
Size: 16mmx15mm,
15mmx17mm, 300mm(L)



13mm

20mm

ST-237

HUB cone spanner 13~20mm open wrench



ST-850

6"/ 8 " Heavy duty adjustable wrench

ST-251A

Double ended wrench
8/ 10 mm , 10/12mm,
10/12mm, 12/13 mm,
14/15 mm
Open end wrench

ST-251B

Double ended wrench 8/ 10 mm ,
10/12mm, 10/12mm, 12/13 mm, 14/15 mm
Open End Wrench



ST-208A,B

Double-ended wrench
A: 30/32/36/40mm & headset locking.
B: 15mm

WRENCH TOOL



2025WRENCH-SET

13~18mm hub wrench and allenkeysets 7pcs



ST-6202

8/10/12/15mm wrench

ST-572

15x17x20 wrench



ST-209

13x14x15x16mm

ST-228

13/14/15/17 mm



ST-206,207

7~15mm Spanner with locking



ST-214A,B

6~15mm Dumbbell wrench



W15

15mm Open wrench

W17

17mm Open wrench

W18

18mm Open wrench



ST-15P

15mm Pedel wrench

ST-15WW

15mm Pedel wrench

ST-3236

32+36mm Open wrench



ST-368B

10/13/14/15 mm
and Tire lever

ST-612A

length: 135mm T=1.95mm
Open wrench 14/15mm

ST-247B

14X15mm
and Hook wrench



ST-239

3pcs/1set/8 function
Spanner for 10/11/13/14/15mm
Spoke wrench for 3.8mm / 3.9mm
Tire lever

CHAIN TOOL



ST-S527

8~12SPEED CHAIN Break ,
have pin & chainhook



ST-S528

8~11 Speed chain high strength



ST-S528B

8~11speed chain break



ST-S529

8~12 Speed chain
break and riveting



ST-254

Chain rivet extractor CP
For 6~11 speed chain



ST-255

Chain rivet extractor CP



ST-258S

Chain breaker #420~530



ST-257

Motorcycle chain rivet extractor
420-530 chain separator



ST-S525

8~12SPEED CHAIN Break and have pin



ST-S526

8~12 Speed chain break , have pin & chainhook



ST-226

Packing: 200ctn/ 25kgs,
26kgs/ 0.7'



ST-256

Motorcycle chain rivet extractor
420 chain separator

B.B TOOL



S-B17/ S-B18/ S-B19

Bottom Bracket Tool



ST-RTB

The bike bottom bracket
wrench is suitable for 44mm
outer diameter 16 slot
central shaft such as BB51,
BB52, BB70, BB71, RS500,
MT500 etc. GXP series bottom bracket,
IXF series bottom bracket.

FREE WHEEL TOOL


ST-321

For cartridge BB & chainwheel



ST-324A,B

BMX Freewheel remove



ST-322

For Shimano , SRAM
and other cassette lockrings.
use with 1/2"driver
and 21mm spanner.



323



ST-323

ST-351



ST-242A,B,C


Bottom Bracket. Shimano & ISIS Drive compatible.
For use with 1/2" driver and 24mm spanner



S-BT1 / S-BT2 / S-BT3

Bottom bracket wrench

S-BT1 16-notch 39mm
S-BT2 16-notch 48.5mm (e.g. FSA® MegaEvo®).
S-BT3 12-Notch for SRAM bub.



ST-266A,B

Freewheel remover

ST-286

Freewheel turner


S-286

Freewheel turner



ST-369A,B

Use on installation and
removing of B.B. Fits
Shimano Hollowtech II
B.B.bottom bracket tools



ST-FR14

Shimano cassette and MF compatible
freewheels & campagnolo
2 in 1 can usefreewheel tools



ST-FR13

For Shimano, sachs aris,
Sunrace, DNP epoch &
other 5-10 speed freewheel

SPOKE TOOL

ST-215

9g~15g spoke tool

ST-215A,B,C

A: 9g~15g print taiwan
B: 9g~15g print taiwan
C: 10g~15g print taiwan



ST-240A,B,C

A for: 0.127" (3.2mm) nipple
B for: 0.130" (3.3mm) nipple
C for: 0.136" (3.5mm) nipple

ST-SPBOX

Interchangeable tips to fit 10 sizes of spoke nipples with the most used sizes 5.0, 5.2, 5.4, 5.6, 5.8, 6.0, 6.2, 6.4, 6.6, 6.8.



ST-212A

2mm-7mm
Allen key wrench
see with ring



ST-3Key

4/5/6mm
Longtyperingkey




ST-210A,B,C,D

Hex key wrench
A:4mm / B: 5mm / C:6mm / D:5/6mm
We have any size hex key wrench.
Long or short.



ST-210L

Double allen key driver set
3/4/5/6 / T25 +/-



ST-M229

Double spoke wrench #8/#9,
#8/#10, #10/#11



ST-228

4 Funtion




ST-229

Nipple wrench length:100mm
size rage (9g~14g)



HEX KEY TOOL



ST-211A,B

Hex key wrench set
1.5/ 2/ 2.5/ 3/ 4/ 5/ 6/ 8/ 10

ST-210E

COLOR : UCP
HEX 5mm with PH2




ST-257A

Black with red



ST-257B,C


B: black with black
C: CP with black



CRANK TOOL

ST-245A,B

Cotterless crank tool



S-241

Crank tool



ST-16H Red / Black

16mm spanner for crank
tool remover



DISC BRAKE TOOL

S-689

Hydraulic disc brake tool



S-68

Rotor flattening tool
to adjust bent or damaged brake
rotors with comfortable handle.



ST-241A,B

Cotterless crank tool



ST-241C,D

For shimano octalink and
isis drive system. Threaded nut
includes smoothed ring at
head to prevent damage to thread.



ST-241E

Crank tool
use with 8mm hex key wrench



ST-241F

Crank tool



ST-CR

This product is suitable for
disassembly and tightening for
Shimano integrated pressure plate crank cover.



S-DBT

2 Different slot depths (15mm / 42mm)

